

Referencias bibliográficas

- Aizenberg, E. E. (1954). New data on the system of fauna of aphids [PhD dissertation summary]. Biological Sciences, 10 pp.
- Alexander, C. P. (1969). Notes on the tropical American species of Tipulidae (Diptera). VIII. Subfamily Tipulinae. *Studia Entomologica*, 12, 161–244.
- Alfaro-Díaz, M.F. (2023). Extractos de plantas para el tratamiento del cáncer: revisión bibliográfica y análisis del efecto citotóxico de extractos de la raíz de la planta *Phyllanthus acuminatus* en una línea celular de cáncer de mama murino. Tesis (licenciatura en microbiología y química clínica). Universidad de Costa Rica. Facultad de Microbiología.
<https://repositorio.sibdi.ucr.ac.cr/handle/123456789/21966>
- Alvarado, D., Rodríguez, G., & Madrigal, S. (2013). Evaluación de la composición química (filantósidos y lignanos) de los extractos crudos del árbol de Chilillo (*Phyllanthus acuminatus* Vahl) procedentes de diferentes sitios de Costa Rica. *Uniciencia*, 27 (1).
- Arias-Aguilar, A., Chacón-Madrigal, E., & Rodríguez-Herrera, B. (2015). El uso de los parques urbanos con vegetación por murciélagos insectívoros en San José, Costa Rica. *Mastozoología Neotropical*, 22(2), 229-237. <https://doi.org/10.5281/zenodo.13481189>
- Arias-Penna, D. C., Whitfield, J. B., Janzen, D. H., Hallwachs, W., Dyer, L., Smith, M. A., Hebert, P. D. N., & Fernández-Triana, J. L. (2019). A species-level taxonomic review and host associations of *Glyptapanteles* (Hymenoptera, Braconidae, Microgastrinae) with an emphasis on 136 new reared species from Costa Rica and Ecuador. *ZooKeys*, 890, 1–685.
- Ávalos, G. (2019). Still searching the rich coast: Biodiversity of Costa Rica, numbers, processes, patterns, and challenges. En T. Pullaiah (Ed.). *Global Biodiversity Volume 4: Selected countries in the Americas and Australia* (pp. 101-138). Florida, USA: Apple Academic Press, CRC.
- Back, E. A. (1912). Notes on Cuban white-flies with description of two new species. *The Canadian Entomologist*, 44(5), 145–153. <https://doi.org/10.4039/Ent44145-5>
- Baker, C. F. (1899). On Alebra and related genera. *Psyche: A Journal of Entomology* (Cambridge, Massachusetts), 8, 401–405.
- Baly, J. S. (1865). Descriptions of new genera and species of Phytophaga. *The Journal of Entomology*, 2, 1–15. (*Diphaulaca wagneri*)
- Bánki, O., Roskov, Y., Döring, M., Ower, G., Hernández Robles, D. R., Plata Corredor, C. A., ... & Catalogue of Life Foundation. (2025). Catalogue of Life (Version 2025-07-10).
<https://doi.org/10.48580/dgrrq>
- Banks, N. (1894). Some Psychodidae from Long Island, N.Y. *The Canadian Entomologist*, 26, 329–333.

Barstow, M. & Linares, J. (2020). *Dalbergia retusa*. The IUCN Red List of Threatened Species 2020: e.T32957A67799410. <https://dx.doi.org/10.2305/IUCN.UK.2020-1.RLTS.T32957A67799410.en>. Accessed on 11 June 2025.

Barstow, M. & Negrão, R. (2023). *Swietenia macrophylla*. The IUCN Red List of Threatened Species 2023: e.T32293A68104718. <https://dx.doi.org/10.2305/IUCN.UK.2023-1.RLTS.T32293A68104718.en>. Accessed on 12 June 2025.

Barstow, M., Jiménez, Q. & Klitgård, B. (2018). *Platymiscium parviflorum*. The IUCN Red List of Threatened Species 2018: e.T124098500A124100622. <https://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T124098500A124100622.en>. Accessed on 11 June 2025.

Bartholomew, P. S. (1932). Six new species of aphids, with records of other species new to California. *Annals of the Entomological Society of America*, 25(4), 713–729. <https://doi.org/10.1093/aesa/25.4.713>

Bates, H. W. (1880). *Biologia Centrali-americana*. Insecta. Coleoptera. Longicornia Vol. IV, Part I. London: Taylor and Francis. (*Ochraethes pollinosus*)

Bates, H. W. (1885). *Biologia Centrali-americana*. Insecta. Coleoptera. Longicornia Vol. V. London: Taylor and Francis. (*Lepturginus tigrellus*)

Berlin, O. G. W. (1969). Mosquito studies (Diptera, Culicidae). XIV. A revision of the Neotropical subgenus *Howardina* of *Aedes*. *Contributions of the American Entomological Institute*, 4(2), 190 pp.

Bigot, J. M. F. (1857). Dipteros. In R. de la Sagra (Ed.), *Historia física, política y natural de la Isla de Cuba*. Segunda parte. *Historia natural* (Vol. 7, pp. 328–349). A. Bertrand.

Bio-Nica. (n.d.). *Adelpha leuceria*. <http://www.bionica.info/Ento/Lepido/Nymphalidae/Adelpha%20leuceria.htm>

Bio-Nica. (n.d.). Mariposas del bosque de Tanzania. <http://www.bio-nica.info/RevNicaEntomo/147-Mariposas-Bosque-Tanzania.pdf>

Birds of the World (2025). Editado por S. M. Billerman, B. K. Keeney, G. M. Kirwan, F. Medrano, N. D. Sly, y M. G. Smith. Cornell Laboratory of Ornithology, Ithaca, NY, USA. <https://birdsoftheworld.org/bow/home>

BirdLife International. (2025). The IUCN Red List of Threatened Species Version 2025-1. <https://www.iucnredlist.org/> Accesado el 28 de mayo de 2025.

Blake, D. H. (1951). Notes on *Disonycha* and related genera, with descriptions of new species (Coleoptera: Chrysomelidae). *Proceedings of the Entomological Society of Washington*, 53, 137–149. (*Disonycha leptolineata*)

Bolton, B. (2000). The ant tribe Dacetini. *Memoirs of the American Entomological Institute*, 65, 1–1028. <https://antcat.org/references/130788>

- Borgmeier, T. (1971). Further studies on phorid flies, mainly of the Neotropical Region (Diptera, Phoridae). *Studia Entomologica*, 14, 1–172.
- Borgmeier, T. (1969). New or little-known phorid flies, mainly of the Neotropical Region. *Studia Entomologica*, 12, 33–132.
- Borgmeier, T. (1960). Nota prévia sobre quatro gêneros novos da família Phoridae (Diptera). *Studia Entomologica*, 3, 489–492.
- Borgmeier, T. (1957). Myrmecologische Studien, I. Anais da Academia Brasileira de Ciências, 29, 103–128. <https://antcat.org/documents/312/6503.pdf>
- Borgmeier, T. (1934). O genero *Melalocha* Brues (Dipt. Phoridae). *Revista de Entomologia*, 4, 167–189.
- Borgmeier, T. (1925). Novos subsídios para o conhecimento da família Phoridae. *Archivos do Museu Nacional do Rio de Janeiro*, 25, 85–281.
- Bourroul, C. (1904). *Mosquitos do Brasil*. Bahia, 78 pp.
- Boyer de Fonscolombe, E. L. J. H. (1841). Description des pucerons qui se trouvent aux environs d'Aix. *Annales de la Société Entomologique de France*, 10, 157–198.
- Brailovsky, H. U. (1999). The tribe Meropachydini with descriptions of five new genera, synonymical notes, and a key to the genera (Heteroptera: Coreidae: Meropachydinae). *Proceedings of the Entomological Society of Washington*, 101(3), 573–594.
- Brailovsky, H. U. (2001). Five new species of Neotropical Coreidae (Insecta: Hemiptera). *Reichenbachia*, 34(8), 67–79.
- Brown, B. V. (2022). Some remarkably common, but undescribed, *Megaselia* Rondani (Diptera: Phoridae) from northwestern Costa Rica. *Zootaxa*, 5120(3), 373–390.
- Brown, B. V. (2022). Two new genera of phorid flies, *Macgrathphora* and *Aurisetiphora*, from Costa Rica (Diptera: Phoridae), with recommendations for naming new genera in the family. *Zootaxa*, 5115(4), 571–581.
- Brown, B. V., & Kung, G.-A. (2010). Revision of the New World *Dohnniphora* Dahl species lacking large hind tibial setae (Diptera: Phoridae). *Zootaxa*, 2699, 1–142.
- Brown, B. V., & Kung, G.-A. (2006). Revision of the *Melaloncha* angulata-group of bee-killing flies (Diptera: Phoridae). *Contributions in Science*, 507, 1–31.
- Brown, B. V. (2006). Revision of the untreated taxa of *Melaloncha* s.s. bee-killing flies (Diptera: Phoridae). *Zootaxa*, 1280, 1–68.
- Brown, B. V. (2005). Revision of the *Melaloncha* (M.) *furcata*-group of bee-killing flies (Diptera: Phoridae). *Insect Systematics & Evolution*, 36, 241–258.

- Brown, B. V. (2004). Revision of the *Melaloncha cingulata*-group of bee-killing flies (Diptera: Phoridae). *Annals of the Entomological Society of America*, 97(3), 386–392.
- Brown, B. V. (2004). Revision of the subgenus *Udamochiras* of *Melaloncha* bee-killing flies (Diptera: Phoridae: Metopininae). *Zoological Journal of the Linnean Society*, 140(1), 1–42.
- Brown, B. V. (2004). Revision of the *Melaloncha cingulata*-group of bee-killing flies (Diptera: Phoridae). *Annals of the Entomological Society of America*, 97(3), 386–392.
- Brown, B. V. (2002). Revision of the *Apocephalus pergandei*-group of ant-decapitating flies (Diptera: Phoridae). *Contributions to Science*, 496, 58 pp.
- Brown, B. V. (2000). Revision of the *Apocephalus miricauda*-group of ant-parasitizing flies (Diptera: Phoridae). *Contributions to Science*, 482, 62 pp.
- Brown, B. V. (2000). The species of *Phora* (Diptera: Phoridae) of Costa Rica. *Revista de Biología Tropical*, 48, 977–982.
- Brown, B. V. (1997). Revision of the *Apocephalus attophilus*-group of ant-decapitating flies (Diptera: Phoridae). *Contributions to Science*, 468, 60 pp.
- Brown, B. V. (1996). Preliminary analysis of a host shift: Revision of the Neotropical species of *Apocephalus*, subgenus *Mesophora* (Diptera: Phoridae). *Contributions to Science*, 462, 36 pp.
- Brown, B. V. (1993). Taxonomy and preliminary phylogeny of the parasitic genus *Apocephalus*, subgenus *Mesophora* (Diptera: Phoridae). *Systematic Entomology*, 18, 191–230.
- Brown, B. V., Hartop, E. A., & Wong, M. A. (2022). Sixteen in one: White-belted *Megaselia Rondani* (Diptera: Phoridae) from the New World challenge species concepts. *Insect Systematics and Diversity*, 6(3), 1–17.
- Brues, C. T. (1907). Some new exotic Phoridae. *Annales Historico-Naturales Musei Nationalis Hungarici*, 5, 400–413.
- Brues, C. T. (1924). New and unrecorded species of the family Phoridae. *Psyche*, 31, 155–161.
- Brunetti, E. (1912). Diptera Nematocera (excluding Chironomidae and Culicidae). In A. E. Shipley & G. A. K. Marshall (Eds.), *Fauna of British India. Diptera* (Vol. 1, pp. 1–581). London.
- Burla, H. (1956). Die *Drosophilidengattung Zygothrica* und ihre Beziehung zur *Drosophila*-Untergattung *Hirtodrosophila*. *Mitteilungen aus dem Zoologischen Museum in Berlin*, 32, 189–321.
- Butler, A. G., & Druce, H. (1872). Descriptions of new genera and species of Lepidoptera from Costa Rica. *Cistula Entomologica*, 1(5), 95–118.
- Butterflies of America. (n.d.). *Lasaia sessilis*.
http://www.butterfliesofamerica.com/L/t/Lasaia_sessilis_a.htm
- Butterflies of America. (n.d.). *Pedaliodes manis*.
https://butterfliesofamerica.com/L/pedaliodes_manis_live.htm

- Caldwell, J. S., & Martorell, L. F. (1952). Review of the Auchenorynchous Homoptera of Puerto Rico. Part 1. Cicadellidae. The Journal of the Department of Agriculture of Puerto Rico, 34(1), 1–132, i–viii.
- Camargo, J. M. F., & Pedro, S. R. M. (2002). Neotropical Meliponini: the genus *Partamona* Schwarz, 1939 (Hymenoptera, Apidae, Apinae) - bionomy and biogeography. *Revista Brasileira de Entomologia*, 47(3), 311–372. <https://doi.org/10.1590/S0085-56262003000300001>
- Camargo, J. M. F., Pedro, S. R. M., & Melo, G. A. R. (2013). Catalogue of bees (Hymenoptera, Apoidea) in the Neotropical region. <https://moure.cria.org.br/catalogue?id=34148>
- Cameron, P. (1891). Appendix. Hym. Formicidae. En E. Whymper, *Travels amongst the Great Andes* (pp. 89–95). <https://antcat.org/references/123503>
- Carriker, M. A. (1910). An annotated list of the birds of Costa Rica including Cocos Island. *Annals of the Carnegie Museum*, 6(2–3), 314–915. <https://doi.org/10.5962/p.331038>
- Carvalho, J. C. M., & Gomes, I. P. (1980). *Mirídeos neotropicais, CCXVIII: Revisão do gênero Derophthalma* Berg, 1883 (Hemiptera). *Experientiae*, 26, 93–146.
- Cascante Marín, A. & Hernández, C. (2019). Diversidad y vulnerabilidad de la flora orquideológica de un bosque montano nuboso del Valle Central de Costa Rica. *Lankesteriana*. 19(1): 31–55.
- Cascante Marín, A., Meza-Picado, V & Estrada, A. (2012). Las plantas vasculares de El Rodeo, Costa Rica. *Brenesia* 77:71-128.
- Cascante Marín, A. & Estrada, A. (2011). Tree turnover in a premontane neotropical forest (1998–2009) in Costa Rica. *Plant Ecol.* 212:1101–1108.
- Cascante Marín, A. & Estrada, A. (2001). Composición florística y estructura de un bosque húmedo premontano en el Valle Central de Costa Rica. *Rev. Biol. Trop.*, 49(1): 213–225.
- Castro-Huertas, V., Grazia, J., Forero, D., Fernández, F., & Schwertner, C. F. (2022). Stink bugs (Hemiptera: Heteroptera: Pentatomidae) of Colombia: An annotated checklist of species. *Zootaxa*, 5097(1), 1–88.
- Clements, J. F., P. C. Rasmussen, T. S. Schulenberg, M. J. Iliff, T. A. Fredericks, J. A. Gerbracht, D. Lepage, A. Spencer, S. M. Billerman, B. L. Sullivan, M. Smith, y C. L. Wood. (2024). The eBird/Clements checklist of Birds of the World: v2024. Descargado de: <https://www.birds.cornell.edu/clementschecklist/download/>
- Collin, J. E. (1956). Some new British Borboridae (Diptera). *Journal of the Society for British Entomology*, 5, 172–178.
- Coquerel, C. (1859). Notes sur quelques insectes de Madagascar et de Bourbon. *Annales de la Société Entomologique de France*, 7, 239–260.
- Comstock, J. H. (1882). Report on miscellaneous insects. In C. V. Riley (Ed.), *Report of the entomologist. Commissioner of Agriculture Report* (pp. 195–214). U.S. Department of Agriculture.

- Corbett, G. H. (1935). On new Aleurodidae (Hem.). *Annals and Magazine of Natural History*, 16, 240–252.
- Corona, E. M., & Brown, B. V. (2005). The Central American species of *Diplonevra* Lioy (Diptera: Phoridae). *Zootaxa*, 1050, 21–38.
- Costa, S., Gil-Santana, H. R., & Ribeiro, J. R. I. (2009). Systematic revision of *Macrotingis* and phylogenetic analysis of the genera *Macrotingis* and *Ceratotingis* (Heteroptera: Tingidae). *European Journal of Entomology*, 106(4), 631–642.
- Creão-Duarte, A. J., Sakakibara, A. M., & Cavichioli, R. R. (2005). Novas espécies de *Sundarion* Kirkaldy (Hemiptera, Membracidae). *Revista Brasileira de Entomologia*, 49(1), 93–96.
- Curran, C. H. (1927). Four new American Diptera. *American Museum Novitates*, 275, 1–4.
- Dalla Torre, C. G. de. (1896). *Apidae* (Anthophila). *Catalogus Hymenopterorum Hucusque Descriptorum Systematicus et Synonymicus* (Vol. 10).
- Dallas, W. S. (1852). List of the specimens of Hemipterous insects in the collection of the British Museum. Part II (Vol. 2, pp. 369–592). Taylor & Francis.
- de Andrade, M. L. (1998). Fossil and extant species of *Cylindromyrmex* (Hymenoptera: Formicidae). *Revue Suisse de Zoologie*, 105, 581–664.
https://antcat.org/documents/5916/de_andrade_1998_rev_suisse_zool_cylindromyrmex_revision.pdf
- de Andrade, M. L. (2003). [Untitled. New species attributed to de Andrade only]. En C. Baroni Urbani & M. L. de Andrade, *The ant genus Proceratium in the extant and fossil record* (Hymenoptera: Formicidae) (pp. 63–396). <https://antcat.org/references/131019>
- DeLong, D. M. (1941). Some new species of Mexican *Osbornellus* (Insecta, Homoptera, Cicadellidae). *Anales de la Escuela Nacional de Ciencias Biológicas*, 2(2–3), 263–270.
- DeLong, D. M., & Mohr, C. O. (1937). The genus *Graminella* (Homoptera: Cicadellidae). *American Midland Naturalist*, 18, 622–630.
- DeLong, D. M., Freytag, P. H., & Caldwell, J. S. (1964). Four genera of the world *Gyponiae*: A synopsis of the genera *Gypona*, *Gyponana*, *Rugosana* and *Reticana*. *Bulletin of the Ohio Biological Survey*, 2(3), 1–227.
- Dietrich, C. H., & Deitz, L. L. (1991). Revision of the Neotropical treehopper tribe *Aconophorini* (Homoptera: Membracidae). *Technical Bulletin of the North Carolina Agricultural Experiment Station*, 293, 1–134.
- Distant, W. L. (1882). *Insecta. Rhynchota. Hemiptera-Heteroptera*. Vol. 1. In *Biologia Centrali-Americana* (Vol. 1, pp. v–xx, 169–224). London.
- Distant, W. L. (1882). *Insecta. Rhynchota. Hemiptera-Heteroptera*. *Biologia Centrali-Americana*, Vol. 1, 169–224.

Domínguez, E., Dietrich, C. H., & Godoy, C. (2010). Taxonomic review of the genus *Osbornellus* Ball (Hemiptera: Cicadellidae) in Central America. *Zootaxa*, 2702, 1–106.

Duckhouse, D. A. (1968). Psychodidae (Diptera, Nematocera) collected by Mr. Plaumann in Southern Brazil. *Proceedings of the Royal Entomological Society of London (B)*, 37, 29–40.

Duda, O. (1924). Beitrag zur Systematik der Drosophiliden unter besonderer Berücksichtigung der palaarktischen und orientalischen Arten (Dipteren). *Archiv für Naturgeschichte (A)*, 90(3), 172–234.

Duda, O. (1925). Die costaricanischen Drosophiliden des Ungarischen National-Museums zu Budapest. *Annales Historico-Naturales Musei Nationalis Hungarici*, 22, 149–229.

Dyar, H. G. (1922). Mosquito notes (Diptera, Culicidae). *Insecutor Inscitiae Menstruus*, 10, 92–99.

Dyar, H. G. (1921). Illustrations of certain mosquitoes (Diptera, Culicidae). *Insecutor Inscitiae Menstruus*, 9, 114–118.

Dyar, H. G. (1921). Ring-legged *Culex* in Texas (Diptera, Culicidae). *Insecutor Inscitiae Menstruus*, 9, 32–34.

Dyar, H. G., & Knab, F. (1908). Descriptions of some new mosquitoes from tropical America. *Proceedings of the United States National Museum*, 35, 53–70.

Dyar, H. G., & Knab, F. (1907). Descriptions of new mosquitoes from the Panama Canal Zone. *Journal of the New York Entomological Society*, 15, 197–212.

Dyar, H. G., & Knab, F. (1906). Notes on some American mosquitoes with descriptions of new species. *Proceedings of the Biological Society of Washington*, 19, 159–172.

Dyar, H. G., & Knab, F. (1906). The larvae of Culicidae classified as independent organisms. *Journal of the New York Entomological Society*, 14, 169–230.

Dyar, H. G., & Knab, F. (1906). The species of mosquitoes in the genus *Megarhinus*. *Smithsonian Miscellaneous Collections*, 48, 241–258.

Edwards, F. W. (1939). A new species of *Orthopodomyia* (Diptera, Culicidae). *Proceedings of the Royal Entomological Society of London (B)*, 8, 121–123.

Emery, C. (1890). Studi sulle formiche della fauna neotropica. *Bullettino della Società Entomologica Italiana*, 22, 38–80. https://antcat.org/documents/1082/emery_1890_3755.pdf

Emery, C. (1894). *Camponotus sexguttatus* Fab. e *C. sexguttatus* Sm. et auct. *Bollettino dei Musei di Zoologia ed Anatomia Comparata della Reale Università di Torino*, 9(187), 1–4. <https://antcat.org/documents/7631/bollettinodeimus91894univ.pdf>

Emery, C. (1896). Studi sulle formiche della fauna neotropica. XVII–XXV. *Bullettino della Società Entomologica Italiana*, 28, 33–107.

- Enderlein, G. (1912). Neue Gattungen und Arten außereuropäischer Phoriden. Stettiner Entomologische Zeitung, 73, 46–52.
- Engel, M. S., Rasmussen, C., Ayala, R., & de Oliveira, F. F. (2023). Stingless bee classification and biology (Hymenoptera, Apidae): A review, with an updated key to genera and subgenera. ZooKeys, 1172, 239–312.
- Espina, D., & Ordetx, G. S. (1981). Apicultura tropical. Editorial Tecnológica de Costa Rica.
- Essig, E. O. (1917). Aphididae of California: New species of Aphididae and notes from various parts of the state, but chiefly from the campus of the University of California, Berkeley. University of California Publications: Technical Bulletins, College of Agriculture, Agricultural Experiment Station, Entomology, 1(7), 301–346.
- Durán Alvarado, F. (2012). Los mamíferos terrestres y voladores de la zona de El Rodeo, Mora, San José, Costa Rica. Brenesia 77:181-202.
- Durán Alvarado, F. (2013). Murciélagos (Chiroptera) y ratones silvestres (Rodentia) de la zona Protectora Cerros de la Carpintera, Costa Rica. Brenesia 79:53-57.
- eBird. (2021). eBird: An online database of bird distribution and abundance [web application]. eBird, Cornell Lab of Ornithology, Ithaca, New York. Disponible en: <http://www.ebird.org>. (Accessed: Mayo, 2025).
- Fabricius, J. C. (1805). Systema antliatorum secundum ordines, genera, species... Brunsvigae: C. Reichard.
- Fabricius, J. C. (1804). Systema Piezatorum secundum ordines, genera, species, adjunctis synonymis, locis, observationibus, descriptionibus (pp. xiv + 15–439 + 30). C. Reichard. https://antcat.org/documents/5921/fabricius_1804-systema_piezatorum.pdf
- Fabricius, J. C. (1801). Systema Eleutheratorum, Vol. 2. Kiliae: Impensis Bibliopoli Academici Novi. (Diabrotica innuba, Diabrotica viridula)
- Fabricius, J. C. (1798). Supplementum Entomologiae Systematicae. Hafniae: Proft et Storch. (Omophoita quadrinotata)
- Fabricius, J. C. (1787). Mantissa insectorum sistens species nuper detectas adjunctis synonymis, observationibus, descriptionibus, emendationibus (Vol. 2, pp. 1–382). <http://www.biodiversitylibrary.org/item/44573#7>
- Fabricius, J. C. (1787). Mantissa Insectorum, Vol. 1. Hafniae: Impensis Christ. Gottl. Proftii. (Omophoita albicollis)
- Fernández, F. (2004). The American species of the myrmicine ant genus Carebara Westwood (Hymenoptera: Formicidae). Caldasia, 26, 191–238. <https://antcat.org/documents/3880/21186.pdf>
- Fernández, F., Guerrero, R. J., & Delsinne, T. (Eds.). (2019). Hormigas de Colombia. Editorial de la Universidad Nacional de Colombia

Fernández-Triana, J. L., Janzen, D. H., Hallwachs, W., Whitfield, J. B., Smith, M. A., & Kula, R. (2014). Revision of the genus *Pseudapanteles* (Hymenoptera, Braconidae, Microgastrinae), with emphasis on the species in Área de Conservación Guanacaste, northwestern Costa Rica. *ZooKeys*, 446, 1–86.

Fernández-Triana, J. L., Whitfield, J. B., Rodríguez, J. J., Smith, M. A., Janzen, D. H., Hallwachs, W., Hajibabaei, M., Burns, J. M., Solís, M. A., Brown, J. W., Cardinal, S., Goulet, H., & Hebert, P. D. N. (2014). Review of *Apanteles sensu stricto* (Hymenoptera, Braconidae, Microgastrinae) from Área de Conservación Guanacaste, northwestern Costa Rica, with keys to all described species from Mesoamerica. *ZooKeys*, 383, 1–565.

Fennah, R. G. (1959). Delphacidae from the Lesser Antilles (Homoptera: Fulgoroidea). *Bulletin of the British Museum (Natural History), Entomology*, 8, 245–365.

Filippini, V., Galante, E., & Mico, E. (2015). Description of six new species of *Anomalini* from Costa Rica. *Zootaxa* 3948(1):24-40.

Fleming, A. J., Wood, D. M., Smith, M. A., Janzen, D. H., & Hallwachs, W. (2015). Nine new species of *Itaplectops* (Diptera: Tachinidae) reared from caterpillars in Área de Conservación Guanacaste in northwestern Costa Rica, with a key to *Itaplectops* species. *Biodiversity Data Journal*, 3(e4596), 1–46.

Fleming, A. J., Wood, D. M., Smith, M. A., Hallwachs, W., & Janzen, D. H. (2014). Revision of the New World species of *Houghia* Coquillett (Diptera, Tachinidae) reared from caterpillars in Área de Conservación Guanacaste, Costa Rica. *Zootaxa*, 3858, 1–90.

Flórez-Gómez, N., Ayala, R., Hinojosa-Díaz, I., & Morrone, J. J. (2022). The Neotropical species of small carpenter bees of the subgenus *Ceratina* (*Zadontomerus*) Ashmead, 1899 (Hymenoptera: Apidae). *Zootaxa*, 5214(2), 189–223.

Flórez-Gómez, N., Ayala, R., Hinojosa-Díaz, I., & Morrone, J. J. (2022). The Neotropical species of small carpenter bees of the subgenus *Ceratina* (*Zadontomerus*) Ashmead, 1899 (Hymenoptera: Apidae). *Zootaxa*, 5214(2), 189–223.

Forel, A. (1899). Formicidae [parte]. *Biologia Centrali-Americana, Hymenoptera*, 3, 25–56.

Fuentes, A.C.D., Martínez Salas, E. & Samain, M.-S. (2021). *Bourreria huanita*. The IUCN Red List of Threatened Species 2021: e.T136813725A137376384.
<https://dx.doi.org/10.2305/IUCN.UK.2021-1.RLTS.T136813725A137376384.en>. Accessed on 12 June 2025.

Fuller, D. O., Ahumada, M. L., Quiñones, M. L., Herrera, S., & Beier, J. C. (2012). Near-present and future distribution of *Anopheles albimanus* in Mesoamerica and the Caribbean Basin modeled with climate and topographic data. *International Journal of Health Geographics*, 11, 13.

Funet. (n.d.). *Prolimacodes*.

https://ftp.funet.fi/index/Tree_of_life/insecta/lepidoptera/ditrysia/zygaenoidea/limacodidae/prolimacodes/

Galindo, P., & Blanton, E. S. (1954). Nine new species of Neotropical *Culex*, eight from Panama and one from Honduras (Diptera, Culicidae). *Annals of the Entomological Society of America*, 47(2), 23–247.

Garrigues, R. y R. Dean. (2017). *Aves de Costa Rica: Guía de campo*. 2da edición. Zona Tropical, Cornell University Press. Ithaca, Nueva York, Estados Unidos. 429 p.

Garrigues, R., P. Camacho-Varela, J. Corrales, C. Hidalgo, R. Jiménez, P. O'Donnell, D. Rodríguez, y J. Zook. (2024). *Lista Oficial de las Aves de Costa Rica 2024-2025 – Actualización noviembre 2024*. Comité de Especies Raras y Registros Ornitológicos de Costa Rica (Comité Científico), Asociación Ornitológica de Costa Rica.
<https://listaoficialavesdecostarica.wordpress.com/>

Garro, G. Jiménez, K., & Pérez, R. (2018). Desarrollo de un sistema de cultivo in vitro de raíces pilosas de *Phyllanthus acuminatus*, para la producción de compuestos con actividad biológica. *Tecnología en marcha*, 31 (3). Doi: 10.18845/tm.v31i3.3903

Gauld, I. (1991). The Ichneumonidae of Costa Rica, 1. Introduction, keys to subfamilies, and keys to the species of the lower Pimpliform subfamilies Rhyssinae, Poemeniinae, Acaenitinae and Cylloceriinae. *Memoirs of the American Entomological Institute*, 47, 1–589.

Gauld, I. (2000). The Ichneumonidae of Costa Rica, 3. Introduction and keys to species of the subfamilies Brachycyrtinae, Cremastinae, Labeninae and Oxytorinae, with an appendix on the Anomaloninae. *Memoirs of the American Entomological Institute*, 63, 1–453.

Gauld, I. (2000). The Labeninae (Hymenoptera: Ichneumonidae): a study in phylogenetic reconstruction and evolutionary biology. *Zoological Journal of the Linnean Society*

Gauld, I. (2000). The Labeninae (Hymenoptera: Ichneumonidae): a study in phylogenetic reconstruction and evolutionary biology. *Zoological Journal of the Linnean Society*.

Gauld, I. D., Sithole, R., Ugalde Gómez, J. A., & Godoy, C. (2002). The Ichneumonidae of Costa Rica, 4. Introduction and keys to species of the subfamilies Metopiinae and Banchinae. *Memoirs of the American Entomological Institute*, 66, 1–768.

Gauld, I. D., Sithole, R., Ugalde, J. G., & Godoy, C. (2002). The Ichneumonidae of Costa Rica, 4. *Memoirs of the American Entomological Institute*, 66, 1–768.

Gauld, I. D., Ugalde, J. A., & Hanson, P. E. (1997). Guía de los Pimplinae. *Revista de Biología Tropical*, 46(1), 1–189.

Gauld, I. D., Ugalde, J., & Hanson, P. E. (1998). Guía de los pimpline (Hymenoptera: Ichneumonidae) de Costa Rica. *Revista de Biología Tropical*, 46(Supl. 1), 1–189.

Gauld, I. D., Wahl, D., Bradshaw, K., Hanson, P., & Ward, S. (1997). The Ichneumonidae of Costa Rica, 2. Introduction and keys to species of the smaller subfamilies, Anomaloninae, Ctenopelmatinae, Diplazontinae, Lycorininae, Phrudinae, Tryphoninae (excluding Netelia) and Xoridinae, with an appendix on the Rhyssinae. *Memoirs of the American Entomological Institute*, 57, 1–485.

Gauld, I. D., Wahl, D., Bradshaw, K., Hanson, P., & Ward, S. (1997). The Ichneumonidae of Costa Rica, 2. Introduction and Keys to Species of the Smaller Subfamilies, Anomaloninae, Ctenopelmatinae, Diplazontinae, Lycorininae, Phrudinae, Tryphoninae (Excluding Netelia) and Xoridinae, with an Appendices on the Rhyssinae, and with a Cladistic Analysis of the Genera and Subgenera of Xoridinae. American Entomological Institute, Gainesville.

Gauld, I.D., Sithole, R., Ugalde Gómez, J.A. & Godoy, C. (2002). The Ichneumonidae of Costa Rica, 4. Introduction and keys to species of the subfamilies Metopiinae and Banchinae. Memoirs of the American Entomological Institute, 66, 1–768.

GBIF Secretariat. (2023). GBIF Backbone Taxonomy [Checklist dataset].
<https://doi.org/10.15468/39omei>

GBIF.org (21 August 2024) GBIF Occurrence Download <https://doi.org/10.15468/dl.rs4bp9>

GBIF.org. (26 August 2024). GBIF Occurrence Download <https://doi.org/10.15468/dl.kxnqph>

GBIF.org (26 agosto 2024) GBIF Occurrence Download <https://doi.org/10.15468/dl.5wz594>

GBIF.org (26 agosto 2024) GBIF Occurrence Download <https://doi.org/10.15468/dl.u9vmmg>

GBIF.org (26 agosto 2024) GBIF Occurrence Download <https://doi.org/10.15468/dl.u9vmmg>

Geoffroy, E. L. (1762). Histoire abrégée des insectes qui se trouvent aux environs de Paris (Vol. 1, p. 523). Durand.

Gerstaecker, A. (1857). Beitrag zur Kenntniss exotischer Stratiomyiden. Linnaea Entomologica, 11, 261–350.

Godoy, C., Dietrich, C. H., & Villalobos, W. (1998). A review of the leafhopper genus Jikradia with descriptions of four new species (Homoptera: Cicadellidae). Revista de Biología Tropical, 46(3), 739–748.

Godoy, C., Dietrich, C. H., & Villalobos, W. (2006). Two new species of Kapateira Young from Costa Rica (Auchenorrhyncha: Cicadellidae: Cicadellinae). Zootaxa, 1282, 29–38.

Grandi, G. (1919). Contributo alla conoscenza degli Agaonini dell'America. Agaonini di Costa Rica. Bollettino del Laboratorio di Zoologia Generale e Agraria della R. Scuola Superiore d'Agricoltura, Portici, 13, 15–56.

Guenée, B. (1854). Histoire naturelle des insectes (Vol. 8).

Hammel, B. (2013). *Epiphyllum lepidocarpum*. The IUCN Red List of Threatened Species 2013: e.T152675A664376. <https://dx.doi.org/10.2305/IUCN.UK.2013-1.RLTS.T152675A664376.en>. Accessed on 12 June 2025.

Hammel, B.E., Grayum, M.H., Herrera, C., & Zamora, N. (Eds.). (2004). Manual de Plantas de Costa Rica. vol. I. Introducción/Introduction. Monogr. Syst. Bot. Missouri Bot. Gard., 97, 164–168.

- Hansson, C. (2002). Eulophidae of Costa Rica (Hymenoptera: Chalcidoidea), 1. Memoirs of the American Entomological Institute, 67, 290 pp.
- Harbach, R. E. (2018). Culicipedia: Species-group, genus-group and family-group names in Culicidae (Diptera). Wallingford, UK: CABI.
- Harris, T. W. (1841). Harvest flies, etc. (Hemiptera Homoptera). En A report on the insects of Massachusetts, injurious to vegetation (pp. 164–186). Folsom, Wells & Thurston.
- Hartop, E. A., Brown, B. V., & Disney, R. H. L. (2015). Opportunity in our ignorance: Urban biodiversity study reveals 30 new species and one new Nearctic record for *Megaselia* (Diptera: Phoridae) in Los Angeles (California, USA). *Zootaxa*, 3941(4), 451–484.
- Hash, J. M., & Brown, B. V. (2015). Revision of the New World species of the millipede-parasitic genus *Myriophora* Brown (Diptera: Phoridae). *Zootaxa*, 4035(1), 1–79.
- Heinrich, G. (1937). List and some notes on the synonymy of the types of subfamily Ichneumoninae Ashmead (Hymenoptera) in the collections of the British Museum and the Hope Department of the Oxford University Museum. *Annals and Magazine of Natural History*, 10(20), 267.
- Henry, T. J. (1997). Monograph of the stilt bugs, or Berytidae, of the Western Hemisphere (Tech. Bull. No. 19, 149 pp.).
- iGoTerra. (n.d.). *Disphragis biundata*. <https://igoterra.com/taxon/view/194080/Disphragis-biundata>
- iNaturalist. (26 August 2024) <https://costarica.inaturalist.org/>
- iNaturalist. (n.d.). Mariposas del estado de Morelos, México (Lepidoptera: Papilionoidea). https://mexico.inaturalist.org/check_lists/526627-Mariposas-del-estado-de-Morelos--M-xico--Lepidoptera--Papilionoidea-
- Index Fungorum. (2024). An international project to index all formal names in the Fungi kingdom. Recuperado de <http://www.indexfungorum.org/Names/Names.asp>.
- James, M. T. (1966). The genera of Rhabdiocerinae with the elongated first antennal segment (Diptera: Stratiomyidae). *Journal of the Kansas Entomological Society*, 39, 676–681.
- James, M. T., & McFadden, M. W. (1982). The Sarginae (Diptera, Stratiomyidae) of Middle America. *Melanderia*, 40, 1–50.
- James, M. T., McFadden, M. W., & Woodley, N. E. (1980). The Pachygastrinae (Diptera, Stratiomyidae) of Middle America. *Melanderia*, 34, ii + 36 pp.
- Jerome, D. (2018). *Quercus insignis*. The IUCN Red List of Threatened Species 2018: e.T194177A2302931. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T194177A2302931.en>. Accessed on 12 June 2025.
- Johannsen, O. A. (1912). The fungus gnats of North America. The Mycetophilidae of North America. Part IV. Bulletin of the Agricultural Experiment Station of Maine (Series 2), 200, 57–146.

- Jon, H. M., & Mound, L. A. (2007). An annotated check list of the world's whiteflies (Insecta: Hemiptera: Aleyrodidae). *Zootaxa*, 1492, 1–84.
- Joslin, J.D., Haber, W.A. & Hamilton, D. (2018). *Ocotea monteverdensis*. The IUCN Red List of Threatened Species 2018: e.T48724260A117762662. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T48724260A117762662.en>. Accessed on 11 June 2025.
- Kang, I., Chapman, E. G., Janzen, D. H., Hallwachs, W., Dapkey, T., Smith, M. A., & Sharkey, M. J. (2017). Revision of the species of *Lytopylus* from Área de Conservación Guanacaste, northwestern Costa Rica (Hymenoptera, Braconidae, Agathidinae). *ZooKeys*, 721, 93–158.
- Kang, I., Chapman, E. G., Janzen, D. H., Hallwachs, W., Dapkey, T., Smith, M. A., & Sharkey, M. J. (2017). Revision of the species of *Lytopylus* from Área de Conservación Guanacaste, northwestern Costa Rica (Hymenoptera, Braconidae, Agathidinae). *ZooKeys*, 721, 93–158.
- Kearns, C. A., & Inouye, D. W. (1993). *Techniques for pollination biologists*. Colorado University Press.
- Khalaim, A. (2009). To the study of Pimplinae (Hymenoptera: Ichneumonidae) of Costa Rica. *Russian Entomological Journal*, 18(3), 209–210.
- Khalaim, A. I., & Broad, G. R. (2013). Tersilochinae (Hymenoptera: Ichneumonidae) of Costa Rica, part 2. Genera *Megalochus* gen. nov. and *Stethantyx* Townes. *Zootaxa*, 3693(2), 221–266.
- Khalaim, A. I., Sääksjärvi, I. E., & Bordera, S. (2015). Tersilochinae of Western Amazonia (Hymenoptera: Ichneumonidae). Genus *Stethantyx* Townes, part 2. *Zootaxa*, 3981(1), 95–106.
- Knab, F. (1907). Report on the mosquitoes of the coast region of California, with descriptions of new species. *Proceedings of the United States National Museum*, 32, 121–129.
- Koch, C. L. (1854). Die Pflanzenläuse Aphiden getreu nach dem Leben abgebildet und beschrieben (Vol. 4, pp. 101–134). J. L. Lotzbeck.
- Kohlmann, B., & Solis, A. (2001). El género *Onthophagus* en Costa Rica. *Giornale Italiano Di Entomologia* 49(9):159-261.
- Kohlmann, B., & Solis, A. (2009). New species of *Ateuchus* and *Canthidium* from Costa Rica. *Zootaxa* 2219:31-37.
- Komosinska, H. (1961). On some scale-insects (Homoptera, Coccoidea) living in greenhouses in Poland. *Fragmenta Faunistica*.
- Komp, W. H. W., & Kumm, H. W. (1938). A new species of *Haemagogus*, *mesodentatus*, from Costa Rica, and a description of the larva of *Haemagogus anastasionis* Dyar (Diptera, Culicidae). *Proceedings of the Entomological Society of Washington*, 40, 253–259.
- Kugler, C. (1994). A revision of the ant genus *Rogeria* with description of the sting apparatus (Hymenoptera: Formicidae). *Journal of Hymenoptera Research*, 3, 17–89.
<https://antcat.org/documents/1864/8859.pdf>

- Kung, G.-A., & Brown, B. V. (2005). New species of Dohrniphora related to *D. longirostrata* (Diptera: Phoridae). *Annals of the Entomological Society of America*, 98, 55–62.
- Kuwert, A. (1891). Ueber Passaliden. *Entomologische Blätter*, 7, 1–24. (*Passalus tlascala*)
- Lefèvre, E. (1885). Descriptions de coléoptères nouveaux ou peu connus de la famille des Eumolpides (1re partie). *Annales de la Société Entomologique de France*, 5(6), 73–112. (*Exora encaustica*)
- Leach, W. E. (1817). On the genera and species of eproboscideous insects. In *On the genera and species of eproboscideous insects, and on the arrangement of oestrideous insects* (pp. 20, pls. 20–27). Neill & Co.
- Linares, J. & Martínez Salas, E. (2021). *Dalbergia calycina*. The IUCN Red List of Threatened Species 2021: e.T196904303A148397873. <https://dx.doi.org/10.2305/IUCN.UK.2021-1.RLTS.T196904303A148397873.en>. Accessed on 12 June 2025.
- Linnaeus, C. (1758). *Systema naturae per regna tria naturae* (10th ed., Vol. 1, 824 pp.). Laurentii Salvii.
- Linnavuori, R. (1956). Neotropical Homoptera of the Hungarian National Museum and some other European museums. *Annales Entomologici Fennici*, 22(1), 5–35.
- Loew, H. (1866). *Diptera Americae septentrionalis indigena. Centuria septima*. *Berliner Entomologische Zeitschrift*, 10, 1–54.
- Longino, J. T. (2006). New species and nomenclatural changes for the Costa Rican ant fauna (Hymenoptera: Formicidae). *Myrmecologische Nachrichten*, 8, 131–143. <https://antcat.org/documents/3944/21107.pdf>
- Longino, J. T., & Snelling, R. R. (2002). A taxonomic revision of the *Procryptocerus* (Hymenoptera: Formicidae) of Central America. *Contributions in Science* (Los Angeles), 495, 1–30. <https://antcat.org/documents/3947/20028.pdf>
- Lutz, A. (1905). Novas espécies de mosquitos do Brasil. *Imprensa Médica*, 13, 347–350. <https://biodar.unlp.edu.ar/culicidae/es/info/20445.html>
- Mace, H. (1974). *La abeja, la colmena y el apicultor*. Editorial Montesó.
- Machuca Machuca, K., Martínez Salas, E. & Samain, M.-S. (2022). *Monteverdia purpusii*. The IUCN Red List of Threatened Species 2022: e.T126300033A126300721. <https://dx.doi.org/10.2305/IUCN.UK.2022-2.RLTS.T126300033A126300721.en>. Accessed on 12 June 2025.
- Macquart, P. J. M. (1842). *Diptères exotiques nouveaux ou peu connus. Tome deuxième. Deuxième partie*. Paris: Roret.
- Macquart, P. J. M. (1846). *Diptères exotiques nouveaux ou peu connus. Supplément I. Mémoires de la Société Royale des Sciences, de l'Agriculture et des Arts de Lille*, 1844, 133–364.

- Macquart, P. J. M. (1847). *Diptères exotiques nouveaux ou peu connus*. Deuxième supplément. Paris: Roret.
- Malloch, J. R. (1924). Notes on Australian Diptera. No. IV. Proceedings of the Linnean Society of New South Wales, 49, 348–359.
- Malloch, J. R. (1923). A new genus of Phoridae (Diptera). Bulletin of the Brooklyn Entomological Society, 18, 143–144.
- Mardones, M., Umaña Tenorio, L., Granados-Montero, MM., Mata Hidalgo, M., Ruiz-Boyer, A., Piepenbring, M., Minter, D., Coto-López, C., & Carranza Velázquez, J. (2024). The first annotated checklist of Costa Rican fungi. *Funga Latina*, 2, V2A7.
- Mark, J. & Rivers, M.C. (2017). *Cedrela odorata*. The IUCN Red List of Threatened Species 2017: e.T32292A68080590. <https://dx.doi.org/10.2305/IUCN.UK.2017-3.RLTS.T32292A68080590.en>. Accessed on 11 June 2025.
- Martínez Baldares, T. (2012). Plan Regional Urbano de la Gran Área Metropolitana de Costa Rica: avances y desafíos. Cuadernos de arquitectura y urbanismo. 5. 70-87.
- Maskell, W. M. (1879). On some Coccidae in New Zealand. Transactions and Proceedings of the New Zealand Institute, 11, 187–228.
- Mata, M. (2003). *Macrohongos de Costa Rica*. 2 ed. Santo Domingo, Heredia, Costa Rica: INBio.
- Mata, M., Halling, R., & Mueller, G. (2003). *Macrohongos de Costa Rica*. Santo Domingo, Heredia, Costa Rica: INBio.
- McPherson, A. B. (1985) A Biogeographical analysis of factors influencing the distribution of Costa Rican rodents. *Brenesia* 23:97 – 273.
- Meigen, J. W. (1830). *Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten* (Vol. 6). Hamm: Schulz.
- Melander, A. L., & Spuler, A. (1917). The dipterous families Sepsidae and Piophilidae. Bulletin of the Agricultural Experiment Station of Washington, 143, 1–103.
- Michener, C. D. (2007). *The bees of the world* (2.^a ed.). Johns Hopkins University Press.
- Ministerio de Vivienda y Asentamientos Humanos. (2006). *GEO Gran área metropolitana del Valle Central de Costa Rica: Perspectivas del medio ambiente urbano*. MIVAH, MINAE, PNUMA. San José, Costa Rica, 264 p.
- Morazán, F., R. Amit y E. Carrillo. (2010). *Depredación de Animales Domésticos por Carnívoros Silvestres en el Área de Conservación Cordillera Volcánica Central*. Informe Técnico. Programa Jaguar-UNA y Escuela de Ciencias Biológicas. Heredia, Costa Rica.
- Museo Nacional de Costa Rica. s.f. Sistema de Búsqueda de Colecciones Historia Natural en línea: Herbario Nacional (CR). Recuperado el 17 de febrero de 2025, de <https://biodiversidad.museocostarica.go.cr/>

Museo Nacional de Costa Rica (MNCR). s.f. Sistema de Búsqueda de Colecciones Historia Natural en línea: Colección de Ornitología (MNCR-O). Recuperado el 25 de abril de 2025, de <https://biodiversidad.museocostarica.go.cr/>

Museo Nacional de Costa Rica. s.f. Sistema de Búsqueda de Colecciones Historia Natural en línea: Colección de mamíferos (CR). Recuperado el 15 de mayo de 2025, de <https://biodiversidad.museocostarica.go.cr/>

Museo Nacional de Costa Rica (MNCR). s.f. Sistema de Búsqueda de Colecciones Historia Natural en línea: Colección de Ornitología (MNCR-O). Recuperado el 25 de abril de 2025, de <https://biodiversidad.museocostarica.go.cr/>

Nielson, M. W. (1996a). A new genus, *Hecalocorica*, and a new species of hecaline leafhopper from Costa Rica (Homoptera: Cicadellidae). *Entomological News*, 107(3), 125–127.

Nielson, M. W. (1996c). A new species of *Pilosana* from Costa Rica (Homoptera: Cicadellidae). *Entomological News*, 107(5), 327–328.

Nielson, M. W. (1999). A new genus, *Fibragallia*, with descriptions of new species from Central America and Mexico (Homoptera: Cicadellidae: Agallinae). *Mitteilungen aus dem Museum für Naturkunde in Berlin. Deutsche Entomologische Zeitschrift*, 46(1), 75–82.

Nielson, M. W., & Godoy, C. (1995). A new genus and new species of cicadelline leafhoppers from Costa Rica (Cicadellidae: Cicadellinae). *Contributions on Entomology, International*, 1(2), 189–204.

Nishida, K., Nakamura, I., & Morales, C. O. (2009). Plants and butterflies of a small urban preserve in the Central Valley of Costa Rica. *Revista De Biología Tropical*, 57(S1), 31–67. <https://doi.org/10.15517/rbt.v57i0.21274>

Oman, P. W. (1937). New eupterygine leafhoppers from Puerto Rico (Homoptera: Cicadellidae). *The Journal of Agriculture of the University of Puerto Rico*, 21, 567–572.

Paiero, S. M., & Marshall, S. A. (2020). A revision of the genus *Rudolfina* Roháček (Sphaeroceridae: Limosininae). *European Journal of Taxonomy*, 593, 1–75.

Paoli, G. (1930). Caratteri diagnostici delle *Empoasca* e descrizione di nuove specie. *Atti della Società Toscana di Scienze Naturali residente in Pisa. Processi Verbali*, 39, 64–75. [separata pp. 3–14]

Patch, E. M. (1914). Maine aphids of the rose family. *Bulletin of the Maine Agricultural Experiment Station*, 255, 253–280.

Pons Pou, A. M. (2007). *Annexos*. Universitat Autònoma de Barcelona. https://ddd.uab.cat/pub/trerecpro/2007/hdl_2072_5330/PDFAmPonsPouAnnexos.pdf

Pont, A. C., Duvallet, G., & Changbunjong, T. (2020). A new species of *Haematobosca* Bezzi (Diptera: Muscidae) from Thailand. *Zootaxa*, 4763(4), 538–544.

- Prena, Jens & Kenji Nishida. 2005. *Thanius biennis*, a new gall-inducing weevil with a two-year life cycle from Costa Rica. *Beiträge zur entomologie* 55(1): 141-150.
- Puplesis, R., & Robinson, G. S. (2000). A review of the Central and South American Nepticulidae (Lepidoptera) with special reference to Belize. *Bulletin of the Natural History Museum London, Entomology*, 69, 3–114.
- Quate, L. W. (1954). A revision of the Psychodidae of the Hawaiian Islands (Diptera). *Proceedings of the Hawaiian Entomological Society*, 15, 335–356.
- Ratcliffe, B. C. (2003). The Dynastine Scarab beetles of Costa Rica and Panama. *Bulletin of the University of Nebraska State Museum* 16:1-506.
- Reuter, O. M. (1890). Capsinae ex America Boreali in Museo Holmiensi asservatae, descriptae. *Öfversigt af Kongliga Vetenskapsakademiens Förhandlingar*, 32(9), 59–92.
- Reuter, O. M. (1905). Capsidae in Venezuela a D:o D:re Fr. Meinert collectae enumeratae novaeque species descriptae. *Öfversigt af Finska Vetenskaps-societetens Förhandlingar*, 47(19), 1–39.
- Robineau-Desvoidy, J. B. (1827). Essai sur la tribu des culicides. *Mémoires de la Société d'Histoire Naturelle de Paris*, 3, 390–413.
- Roháček, J., & Marshall, S. A. (1982). A monograph of the genera *Puncticorpus* Duda, 1918 and *Nearcticorpus* gen. n. (Diptera, Sphaeroceridae). *Zoologisches Jahrbuch für Systematik*, 109, 357–398.
- Roháček, J., & Marshall, S. A. (1986). The genus *Trachyopella* Duda (Diptera, Sphaeroceridae) of the Holarctic Region. *Monografie III, Museo Regionale di Scienze Naturali, Torino*, 109 pp.
- Rondani, C. (1852). Prodigioso sviluppo d'insetti del gen. *Aphis*. 6, 9–11.
- Rueda, J., & Alarcón-Elbal, P. M. (2020). Mosquitos (Diptera: Culicidae) de lagunas temporales de Costa Rica y Nicaragua. *Limnetica*, 39(2), 579–600. <https://doi.org/10.23818/limn.39.38>
- Sánchez González, J., F. Durán Alvarado y G. Vega Araya. (2008). Diversidad de Plantas, Mamíferos y Mariposas en los cerros de La Carpintera, Costa Rica. Informe Interno de Proyecto. Departamento de Historia Natural. Museo Nacional de Costa Rica. Ministerio de Cultura y Juventud. San José Costa Rica. 98 pp.
- Sánchez-Ocampo, M., & Herrera, A. (2023). Hymenoptera Type Material from the National Museum of Costa Rica I: Holotypes. *Open Access Library Journal*, 10, e10415.
- Sandoval, L., Morales, C.-O., Ramírez-Fernández, J.-D., Hanson, P., Murillo-Hiller, L.-R., & Barrantes, G. (2019). The forgotten habitats in conservation: early successional vegetation. *Revista De Biología Tropical*, 67(S2), S36–S52. <https://doi.org/10.15517/rbt.v67i2SUPL.37202>
- Sandoval, L., Bitton, P.P., Doucet, S. y D. Mennill. (2014). Analysis of plumage, morphology, and voice reveals species-level differences between two subspecies of Prevost's Ground-sparrow *Melospiza biarcuata* (Prévost and Des Murs) (Aves: Emberizidae). *Zootaxa*. 3895. 103-16. 10.11646/zootaxa.3895.1.6.

- Sasaki, C. (1899). Manual of insect pests of crops in Japan. Keigyosha.
- Say, T. (1824). Descriptions of Coleopterous insects collected on the late expedition to the Rocky Mountains. Journal of the Academy of Natural Sciences of Philadelphia, 3, 403–462. (*Diabrotica trifurcata*, *Diabrotica viridifasciata*)
- Say, T. (1824). Appendix. Part I: Natural History. 1. Zoology. E. Class Insecta. In W. H. Keating (Ed.), Major Long's Second Expedition (Vol. 2, pp. 268–378).
- Say, T. (1823). Descriptions of dipterous insects of the United States. Journal of the Academy of Natural Sciences of Philadelphia, 3, 9–32, 33–64, 73–104.
- Schiner, I. R. (1868). Diptera. In B. von Wullerstorff-Urbair (Ed.), Reise der österreichischen Fregatte Novara. Zoologischer Theil (Vol. 2, Part 1, pp. vi + 388, 4 pls). Wien: K. Gerold's Sohn.
- Sharkey, M. J., Janzen, D. H., Hallwachs, W., Chapman, E. G., Smith, M. A., Dapkey, T., Brown, A., Ratnasingham, S., Naik, S., Manjunath, R., Pérez, K., Milton, M., Hebert, P., Shaw, S. R., Kittel, R. N., Solís, M. A., Metz, M. A., Goldstein, P. Z., Brown, J. W., Quicke, D. L. J., van Achterberg, C., Brown, B. V., & Burns, J. M. (2021). Minimalist revision and description of 403 new species in 11 subfamilies of Costa Rican braconid parasitoid wasps, including host records for 219 species. ZooKeys, 1013, 1–665.
- Shimer, H. (1866). A new grape Aphis. The Prairie Farmer, 18, 316.
- Shinji, O. (1922). New genera and species of Japanese Aphididae. Dobutsugaku Zasshi (Zoological Magazine), 34(407), 787–800.
- SIB Argentina. (n.d.). *Lamprospilus badaca*. <https://sib.gob.ar/especies/lamprospilus-badaca>
- Signoret, V. A. (1854). Revue iconographique des Tettigonides. Annales de la Société Entomologique de France (3e série), 2, 483–496 + pl. 17.
- SINAC. (2017). Resolución administrativa R-SINAC-CONAC-092-2017. Lista oficial de especies en peligro de extinción y con poblaciones reducidas y amenazadas. San José, Costa Rica.
- Skinner, D. (2014). *Costus barbatus*. The IUCN Red List of Threatened Species 2014: e.T56234708A56234711. <https://dx.doi.org/10.2305/IUCN.UK.2014-1.RLTS.T56234708A56234711.en>. Accessed on 11 June 2025.
- Spaeth, F. (1932). Neue Cassididen aus Süd- und Mittelamerika. Zoologischer Anzeiger, 99, 289–295. (*Stolas isthmica*)
- Stål, C. (1862). Hemiptera Mexicana enumeravit speciesque novas descripsit. Stettiner Entomologische Zeitung.
- Stein, P. (1904). Die amerikanischen Anthomyiden des Königlichen Museums für Naturkunde zu Berlin und des Ungarischen National-Museums zu Budapest. Annales Historico-Naturales Musei Nationalis Hungarici, 2, 414–495.

Stein, P. (1919). Die Anthomyidengattungen der Welt, analytisch bearbeitet, nebst einem kritisch-systematischen Verzeichnis aller aussereuropäischen Arten. Archiv für Naturgeschichte, 83A(1), 85–178.

Stenhammar, C. (1854). Skandnaviens Copromyzinae granskade och beskrifne. Kongliga Svenska Vetenskapsakademiens Handlingar (3), 1853, 257–442.

Stiles, F.G. y A.F. Skutch. (2003). Guía de Aves de Costa Rica. 3era edición. INBio. Santo Domingo de Heredia, Costa Rica. 571 p.

Strickman, D. (1990). *Culex pseudostigmatosoma*, *Cx. yojoae*, and *Cx. aquarius*: New Central American species in the subgenus *Culex* (Diptera: Culicidae). Mosquito Systematics, 21(3), 143–177.

Sturtevant, A. H. (1916). Notes on North American Drosophilidae with descriptions of twenty-three new species. Annals of the Entomological Society of America, 9, 323–343.

Sturtevant, A. H. (1921). The North American species of *Drosophila*. Carnegie Institution of Washington Publication, 301, iv + 150 pp.

Sturtevant, A. H. (1942). The classification of the genus *Drosophila*, with descriptions of nine new species. University of Texas Publications, 4213, 5–51.

Sulzer, J. H. (1776). Abgekürzte Geschichte der Insecten nach dem Linnéischen System (Vol. 1, p. 274). H. Steiner & Co.

Swift, I et al. 2010. Checklist of the Cerambycidae (Coleoptera) of Costa Rica. Insecta Mundi 8.

Systema Dipteriorum. 2025. The Biodiversity Database of World Diptera. <http://www.diptera.org/>

Takahashi, R. (1926). The aphids of *Myzocallis* infesting the bamboo. Proceedings of the Entomological Society of Washington, 28(7), 159–162.

Takahashi, R. (1957). Some Aleyrodidae from Japan (Homoptera). Insecta Matsumurana, 21, 12–21.

Tamsitt, J. R., & Valdivieso, D. (1961). Notas sobre actividades nocturnas y estados de reproducción de algunos Quirópteros de Costa Rica. Revista De Biología Tropical, 9(2), 219–225. <https://doi.org/10.15517/rev.biol.trop.1961.30402>

Theobald, F. V. (1903). A monograph of the Culicidae or mosquitoes (Vol. III). London: British Museum (Natural History), xvii + 359 pp.

Theobald, F. V. (1901). A monograph of the Culicidae or mosquitoes (Vol. II). London: British Museum (Natural History), viii + 391 pp.

Thomas, C. (1878). A list of the species of the tribe Aphidini, family Aphidae, found in the United States. Bulletin of the Illinois State Laboratory of Natural History, 1(2), 3–16.

Townsend, J. I., & Wheeler, M. R. (1955). Notes on Puerto Rican Drosophilidae, including descriptions of two new species of *Drosophila*. *Journal of Agriculture of the University of Puerto Rico*, 39, 57–64.

Tropicos s.f. Manual de Plantas de Costa Rica. Recuperado 17 de febrero de 2025, de <http://legacy.tropicos.org/Project/Costa%20Rica>.

van der Goot, P. (1917). Zur Kenntnis der Blattläuse Javas. *Contributions à la faune des Indes Néerlandaises*, 1(3), 1–301.

Van Duzee, M. C. (1924). A revision of the North American species of the dipterous genus *Chrysotus*. *Bulletin of the Buffalo Society of Natural Sciences*, 13(3), 3–53.

Villeneuve, J. (1936). Diptera. 16. Muscidae. In F. Hummel (Ed.), *Schwedisch-chinesische wissenschaftliche Expedition nach den nordwestlichen Provinzen Chinas 1927–1930*. *Arkiv för Zoologi*, 27(34), 13 pp.

von Humboldt, F. H. A. (1819). *Voyage aux régions équinoxiales du Nouveau Continent, fait en 1799–1804 par Al. de Humboldt et A. Bonpland* (Vol. 2). Paris.

Walker, F. (1861). Catalogue of the dipterous insects collected in Batchian, Kaisaa and Makian, and at Tidon in Celebes, by Mr. A. R. Wallace, with descriptions of new species. *Journal and Proceedings of the Linnean Society of London, Zoology*, 5, 270–303.

Walker, F. (1849). List of the specimens of dipterous insects in the collection of the British Museum. Part III. London: British Museum (Natural History), pp. 485–687.

Walker, F. (1849). List of the specimens of dipterous insects in the collection of the British Museum. Part IV. London: British Museum (Natural History), pp. 689–1172.

Ward, S., & Gauld, I. (1987). The callajoppine parasitoids of sphingids in Central America (Hymenoptera: Ichneumonidae). *Systematic Entomology*, 12, 503–508.

Wegier, A., Lorea Hernández, F., Contreras, A. & Mastretta-Yanes, A. (2020). *Persea schiedeana* (amended version of 2017 assessment). The IUCN Red List of Threatened Species 2020: e.T34402A172963980. <https://dx.doi.org/10.2305/IUCN.UK.2020-2.RLTS.T34402A172963980.en>. Accessed on 12 June 2025.

Wells, S. 2007. Revision of the Neotropical click Beetle genus *Semiotus* eschscholtz (coleoptera: Elateridae). *contributions in science number* (514).

Wheeler, M. R. (1957). Taxonomic and distributional studies of Nearctic and Neotropical Drosophilidae. In J. T. Patterson (Ed.), *Studies in the genetics of Drosophila IX*. University of Texas Publications, 5721, 79–114.

Wilson, E. O. (2003). *Pheidole in the New World: A dominant, hyperdiverse ant genus* (ix + 794 pp.). Harvard University Press. <https://antcat.org/references/132624>

- Williams, P. H. (1998). An annotated checklist of bumble bees with an analysis of patterns of description (Hymenoptera: Apidae, Bombini). *Bulletin of the Natural History Museum (Entomology)*, 67(1).
- Williston, S. W. (1901). Supplement [part]. *Biologia Centrali-Americana. Zoologia. Insecta. Diptera*, 1, 249–264.
- Williston, S. W. (1896). On the Diptera of St. Vincent (West Indies). *Transactions of the Entomological Society of London*, 1896, 253–446.
- Williston, S. W. (1893). The North American Psychodidae. *Entomological News*, 4, 113–114.
- Woodley, N. E. (2009). A review of the genus *Ditylometopa* Kertész (Diptera: Stratiomyidae). *Zootaxa*, 2032, 39–47.
- Wulp, F. M. van der. (1888). Fam. Muscidae [part]. In *Biologia Centrali-Americana. Insecta. Diptera*, 2, 2–40.
- Wulp, F. M. van der. (1896). Fam. Muscidae [part]. In *Biologia Centrali-Americana. Insecta. Diptera*, 2, 321–344.
- Yau, T., & Marshall, S. A. (2018). A revision of the genus *Bromeloecia* Spuler (Diptera: Sphaeroceridae: Limosininae). *Zootaxa*, 4445(1), 1–115.
- Young, D. A. (1977). Taxonomic study of the Cicadellinae (Homoptera: Cicadellidae). Part 2. New World Cicadellini and the genus *Cicadella*. *Technical Bulletin of the North Carolina Agricultural Experiment Station*, 239, 1–1135.
- Young, D. A., Jr. (1968). Taxonomic study of the Cicadellinae (Homoptera, Cicadellidae). Part 1. Proconiini. *Bulletin of the United States National Museum*, 261, i–vi + 1–287.
- Zamora, N.A. (2023). *Drypetes asymmetricarpa*. The IUCN Red List of Threatened Species 2023: e.T149470378A149470380. <https://dx.doi.org/10.2305/IUCN.UK.2023-1.RLTS.T149470378A149470380.en>. Accessed on 12 June 2025.
- Zamora, N.A. (2023). *Eugenia cartagensis*. The IUCN Red List of Threatened Species 2023: e.T151999348A151999350. <https://dx.doi.org/10.2305/IUCN.UK.2023-1.RLTS.T151999348A151999350.en>. Accessed on 12 June 2025.
- Zamora, N.A. (2023). *Eugenia lepidota*. The IUCN Red List of Threatened Species 2023: e.T149470600A149470602. <https://dx.doi.org/10.2305/IUCN.UK.2023-1.RLTS.T149470600A149470602.en>. Accessed on 12 June 2025.
- Zamora, N.A. (2023). *Guarea inesiana*. The IUCN Red List of Threatened Species 2023: e.T149471053A162591979. <https://dx.doi.org/10.2305/IUCN.UK.2023-1.RLTS.T149471053A162591979.en>. Accessed on 11 June 2025.
- Zamora, N.A. (2021). *Erythrina globocalyx*. The IUCN Red List of Threatened Species 2021: e.T151999208A162578535. <https://dx.doi.org/10.2305/IUCN.UK.2021-3.RLTS.T151999208A162578535.en>. Accessed on 12 June 2025.

Zamora, N.A. (2021). *Ilex haberi*. The IUCN Red List of Threatened Species 2021: e.T149401355A162583982. <https://dx.doi.org/10.2305/IUCN.UK.2021-1.RLTS.T149401355A162583982.en>. Accessed on 12 June 2025.

Zamora, N.A. (2021). *Inga herrerae*. The IUCN Red List of Threatened Species 2021: e.T38305A162587203. <https://dx.doi.org/10.2305/IUCN.UK.2021-3.RLTS.T38305A162587203.en>. Accessed on 12 June 2025.

Zamora, N. (2020). *Ardisia pleurobotrya*. The IUCN Red List of Threatened Species 2020: e.T151907610A162313185. <https://dx.doi.org/10.2305/IUCN.UK.2020-3.RLTS.T151907610A162313185.en>. Accessed on 12 June 2025.

Zúñiga Ramírez, R. J. (2004). The taxonomy and biology of the Polycyrtus species (Hymenoptera: Ichneumonidae, Cryptinae) of Costa Rica. Contributions of the American Entomological Institute, 33(4), 1–159.