



MUSEO NACIONAL DE COSTA RICA

Departamento de Historia Natural

Referencias bibliográficas

- Acevedo, R.P. 1985. Los bejucos de Puerto Rico. Vol. 1. Colaboración de Roy O. Woodbury. Louisiana, U.S., Institute of Tropical Forestry, 331 p.
- Alain, L.H. 1990. Plantas medicinales de Puerto Rico y El Caribe. San Juan, Puerto Rico, Ediciones Iberoamericanas, 563 p.
- Amela García, M.T.; Hoc, P.S. 1998. Biología floral de *Passiflora foetida* (Passifloraceae). Biol. Trop. 46 (2): 191-202.
- Aoyagi, N.; Kimura, R.; Murata, T. 1974. Chem. Pharm. Bult. 22: 1008.
- Benson, W. 1967. Studies on the ecology of Ithomiinae and Heliconiinae in Costa Rica. Mimeo Res. Rep. Adv. Zool. San José, Organization for Tropical Studies, 13 p.
- Benson, W.W.; Brown Jr., K.S.; Gilbert, L.E. 1975. Coevolution of plants and herbivores: Passion flower butterflies. Evolution 29: 659-680.
- Brewbaker, J.L. 1967. The distribution and phylogenetic significance of binucleate and trinucleate pollen grains in the Angiosperms. Amer. J. Bot. 54: 1069-1083.
- Brussell, D.E. 1984. Potions, Poisons and Panaceas: An ethnobotanical study of Montserrat. Carbondale and Edwardsville. U.S., Southern Illinois Univ. Press, 176 p.
- Camillo, E. 1978. Polinização do maracujazeiro. Pp. 32-39. In: Simpósio sobre a Cultura do Maracujazeiro. Sao Paulo, Brasil, Faculdade de Ciências Agrícolas e Veterinária de Jaboticabal.
- Cavanilles, A.J. 1790. Monadelphiae classis dissertationes decem. Diss. 10: Decima dissertatio botanica, de *Passiflora*, 439-463. Madrid, Typographia regia.
- Centro Científico Tropical (CCT), CIEDES y Fondo Nacional de Financiamiento Forestal (FONAFIFO). 1998. Mapa de cobertura boscosa para Costa Rica 1997/1998. Proyección Lambert CR-N.
- Corrales, J. 1996. Las mariposas *Heliconius* de Costa Rica. Santo Domingo de Heredia, C.R.; 34 p.
- Cronquist, A. 1988. The evolution and classification of flowering plants. 2ed. Bronx, U.S., New York Botanical Garden.
- Da Silva, M.M.; Bruckner, C.H.; Picanço, M.; Molina-Rugama, A.J. 1999. Número floral, clima, densidad poblacional de *Xylocopa* spp. (Hymenoptera: Anthophoridae) y polinización del maracuyá (*Passiflora edulis* f. *flavicarpa*). Biol. Trop. 47 (4): 711-718.



MUSEO NACIONAL DE COSTA RICA

Departamento de Historia Natural

- De Candolle, A.P. 1828. Passifloreae. Pp. 321-338. In: De Candolle, A.P. (ed.). *Prodromus systematis naturalis regni vegetabilis*.
- Deginani, N. 2001. Las especies argentinas del género *Passiflora* (Passifloraceae). *Darwiniana* 39 (1-2): 43-129.
- DeVries, P.J. 1987. The Butterflies of Costa Rica and their natural history (Vol. I: Papilionidae, Pieridae, Nymphalidae). New Jersey, U.S., Princeton University Press, 327 p.
- DeVries, P.J. 1991. *Heliconius hecale*. Pp. 744. In: Janzen, D.H. (ed.). *Historia Natural de Costa Rica*. San José, Editorial Universidad de Costa Rica.
- DeVries, P.J. 1997. The Butterflies of Costa Rica and their natural history (Vol. II: Riodinidae). New Jersey, U.S., Princeton University Press, 288 p.
- Durkee, L.T. 1982. The floral and extrafloral nectaries of *Passiflora*. II. The extrafloral nectary. *Amer. J. Bot.* 69(9): 1420-1428.
- Durkee, L.T. 1983. Protein containing cells in the nectary phloem of *Passiflora warmingii*. *Amer. J. Bot.* 70(7): 1011-1018.
- Escobar, L.K. 1980. Interrelationships of the edible species of *Passiflora* centering around *Passiflora mollissima* (H.B.K.) Bailey subgenus *Tacsonia*. Ph.D. dissertation. Austin, University of Texas.
- Escobar, L.K. 1985. Biología reproductiva de *Passiflora manicata* e hibridación con la curuba, *Passiflora mollissima*. *Actual. Biol. Univ. Antioquia* 14 (54): 111-121.
- Escobar, L.K. 1986. New species and varieties of *Passiflora* (Passifloraceae) from The Andes of South America. *Syst. Bot.* 11 (1): 88-97
- Escobar, L.K. 1987. A Taxonomic revision of the varieties of *Passiflora cumbalensis* (Passifloraceae). *Syst. Bot.* 12 (2): 238-250.
- Escobar, L.K. 1988a. Passifloraceae. Pp. 1-138. In: Pinto, P.; Lozano, G. (eds.). *Flora de Colombia*, Vol. 10. Bogotá, Universidad Nacional de Colombia.
- Escobar, L.K. 1988b. Novedades en *Passiflora* (Passifloraceae) de Colombia. *Mutisia* 71: 1-8.
- Escobar, L.K. 1989. A new subgenus and five new species in *Passiflora* (Passifloraceae) from South America. *Ann. Missouri Bot. Gard.* 76: 877-885.



MUSEO NACIONAL DE COSTA RICA

Departamento de Historia Natural

Escobar, L.K. 1993. Neotropical montane Passifloraceae. Symposium of Neotropical Montane Forests: Biodiversity and Conservation. New York, The New York Botanical Garden. Abstracts, p. 35.

Escobar, L.K. 1994. Two new species and a key to *Passiflora* subg. *Astrophea*. Syst. Bot. 19(2): 203-210.

Estrada, A.; Rodríguez, A.; Sánchez, J. 2005. Evaluación y categorización del estado de conservación de las plantas en Costa Rica. San José, Museo Nacional de Costa Rica, Instituto Nacional de Biodiversidad y Ministerio del Ambiente y Energía, 228 p. (mimeografiado).

Estrada, A.; Rodríguez, A. 2009. Flores de Pasión de Costa Rica. Editorial INBio. 448 p.

Feuillet, C.; MacDougal, J.M. 2003 [2004]. A new infrageneric classification of *Passiflora* L. (Passifloraceae). *Passiflora* 13(2): 34-35, 37-38.

Flowers, R.W.; Janzen, D.H. 1997. Feeding records of Costa Rican leaf beetles (Coleoptera: Chrysomelidae). Florida Entomologist 80(3).

Fogden, M.; Fogden, P. 2001. Vida silvestre de los parques nacionales y reservas de Costa Rica. San José, Editorial Heliconia, 166 p.

Font Quer, P. 1985. Diccionario de Botánica. Barcelona, Editorial Labor, 1244 p.

Gentry, A. 2001. Passifloraceae. Pp. 1913-1922. In: Stevens, W.D.; Ulloa, C.; Pool, A.; Montiel, O.M. (eds.). Flora de Nicaragua. Missouri Botanical Garden.

Gilbert, L.E. 1971. Butterfly-plant coevolution: Has *Passiflora adenopoda* won the selectional race? Science 172: 585-586.

Gilbert, L.E. 1975. Ecological consequences of a coevolved mutualism between butterflies and plants. Pp. 210-240. In: Gilbert, L.E. (ed.). Coevolution of Animals and Plants. Austin, University of Texas Press.

Gilbert, L.E. 1980. Coevolution of animals and plants: a 1979 postscript. Austin, University of Texas Press, 247-263.

Gilbert, L.E. 1981. Insects as selective agents on plant vegetative morphology: egg mimicry reduces egg laying by butterflies. Science 212: 467-469.

Gilbert, L.E. 1982. The coevolution of a butterfly and a vine. Scientific American 247(2): 110-121.



MUSEO NACIONAL DE COSTA RICA

Departamento de Historia Natural

Gottsberger, G.; Camargo, J.M.F.; Silberbauer-Gottsberger, I. 1988. A beepollinated tropical community: the beach dune vegetation of Ilha de São Luís, Maranhão, Brazil. Bot. Jahrb. Syst. 109: 469-500.

Grant, V. 1950. The protection of ovules in flowering plants. Evolution 4: 179-201.

Gupta, M. 1995. 270 Plantas medicinales iberoamericanas. Bogotá, SECAB-CYTED, p. 3-6 y 424-426.

Hammel, B.E.; Grayum, M.H.; Herrera, C.; Zamora, N. (eds.). Manual de Plantas de Costa Rica. 2004-2007. Vols. I-IV. Monogr. Syst. Bot. Missouri Bot. Gard.

Harms, H. 1893a. Über die Verwertung des anatomischen Baues für die Umgrenzung and Einteilung der Passifloraceae. Bot. Jahrb. Syst. 15: 548-633.

Harms, H. 1893b. Passifloraceae. In: Engler, A. (ed.). Die Natürlichen Pflanzenfamilien, Nachtrag. 3(6a): 69-92. Leipzig, Wilhelm Engelmann.

Harms, H. 1897. Passifloraceae. In: Engler, A. (ed.). Die Natürlichen Pflanzenfamilien, Nachtrag. 2-4(1): 253-256. Leipzig, Wilhelm Engelmann.

Harms, H. 1925. Passifloraceae. In: Engler, A. (ed.). Die Natürlichen Pflanzenfamilien. 2 ed. Nachtrag 21: 470-507. Leipzig, Wilhelm Engelmann.

Hernández, A.; Bernal, R. 2000. Lista de especies de Passifloraceae de Colombia. Biota Colombiana 1(3): 320-335.

Horvitz, C.C.; Schemske, D.W. 1984. Effects of ants and an ant-tended herbivore on seed production of a neotropical herb. Ecology 65: 1369-1378.

Janzen, D.H. 1968. Reproductive behavior in the Passifloraceae and some of its pollinators in Central America. Behaviour 32: 33-48.

Jørgensen, P.M.; León-Yañes, S. 1999. Catalogue of the vascular plants of Ecuador. Missouri Botanical Garden Press, p. 779-783.

Judd, W.S.; Campbell, C.S.; Kellogg, E.A.; Stevens, P.F. 1999. Plant systematics: a phylogenetic approach. Massachusetts, U.S., Sinauer Associates, Inc., 464 p.

Knapp, S.; Mallet, J. 1984. Two new species of *Passiflora* (Passifloraceae) from Panama, with comments on their natural history. Ann. Missouri Bot. Gard. 71: 1068-1074.



MUSEO NACIONAL DE COSTA RICA

Departamento de Historia Natural

Killip, E.P. 1938. The american species of Passifloraceae. Publ. Field Mus. Nat. Hist., Bot. Ser. 19: 1-613.

Killip, E.P. 1960. Supplemental notes on the american species of Passifloraceae with descriptions of new species. Contr. U.S. Natl. Herb. 35: 1-23.

Koch, H.; Steinegger, E. 1980. Investigations of the alkaloids and flavonoids of *Passiflora* species. Planta Med. 38: 210-211.

Kugler, E.; King, L.A. 2004. A brief history of the passionflower. Pp. 15-26. In: Ulmer, T.; MacDougal, J.M. (eds.). *Passiflora*: Passionflowers of the world.

Lamas, G. 2004. Checklist: Part 4A. Hesperioidea-Papilionoidea. In: Heppner, J.B. (ed.). Atlas of Neotropical Lepidoptera. Vol. 5. Gainesville, FL., Scientific Publishers, 439 p.

Lanza, J. 1988. Ant preferences for *Passiflora* nectar mimics that contain amino acids. Biotropica 20(4): 341-344.

Leung, A.Y. 1980. Encyclopedia of common natural ingredients used in food, drugs and cosmetics. New York, J. Wiley & Sons. Pp. 260-261.

Linnaeus, C. 1745. Dissertatio botanica de *Passiflora*, quam cum consensus amplis. Stockholm.

Linnaeus, C. 1749. Dissertatio botanica de *Passiflora*, quam cum consensu amplis. Amoenitates academicae, Camper ed., 1(9): 244-279. Leiden.

Lutomski, J.; Malek, B.; Rybacka, L. 1975. Planta Med. 27: 112.

MacDougal, J.M. 1988a. *Passiflora eglandulosa*, a new species in Section Cieca (Medikus) DC. Formely included with *P. trinifolia* Masters. Ann. Missouri Bot. Gard. 75: 1658-1662.

MacDougal, J.M. 1988b. *Passiflora pusilla* (Passifloraceae), a new species from Central America. Ann. Missouri Bot. Gard. 75: 392-395.

MacDougal, J.M. 1988c. Review of Chemistry of *Passiflora*. Missouri Botanical Garden, 12 p. (mimeografiado)

MacDougal, J.M. 1989a. *Passiflora citrina*, a new species in section Xerogona (Passifloraceae), from Mesoamerica. Ann. Missouri Bot. Gard. 76: 354-356.



MUSEO NACIONAL DE COSTA RICA

Departamento de Historia Natural

- MacDougal, J.M. 1989b. *Passiflora malletii*, a new species in section Decaloba (Passifloraceae) from Mesoamerica. Ann. Missouri Bot. Gard. 76: 1172-1174.
- MacDougal, J.M. 1989c. Two new species of *Passiflora* section Decaloba (Passifloraceae) from Costa Rica. Ann. Missouri Bot. Gard. 76(2): 608-614.
- MacDougal, J.M. 1992. New species of *Passiflora* subgenus Plectostemma (Passifloraceae). Novon 2: 358-367.
- MacDougal, J.M. 1994. Revision of *Passiflora* subgenus Decaloba section Pseudodysosmia (Passifloraceae). Syst. Bot. Monographs. 41: 1-146.
- MacDougal, J.M. 2003. *Passiflora boenderi* (Passifloraceae), a new eggmimic passionflower from Costa Rica. Novon 13(4): 454-458.
- MacDougal, J.M.; Hansen, A.K. 2003. A new section of *Passiflora*, subgenus Decaloba (Passifloraceae), from Central America, with two new species. Novon 13(4): 459-466.
- MacDougal, J.M. 2004. Six new taxa of *Passiflora* (Passifloraceae), with nomenclatural notes on the genus in Mesoamerica. Novon 14(4): 444-462.
- MacDougal, J.M. 2006. *Passiflora sandrae* (Passifloraceae), a New Species from Panama. Novon 16: 85-88.
- Masters, M.T. 1872. Passifloraceae. Pp. 529-628. In: Eichler, A.W. (ed.). Flora brasiliensis. Munich.
- McCormick, S.P. 1982. Flavonoid chemistry of *Passiflora* subg. Plectostemma. Ph.D. dissertation. Austin, The University of Texas, Department of Botany, 313 p.
- McCormick, S.P.; Mabry, T.M. 1983. O- and C-Glycosylflavones from *Passiflora biflora*. Phytochemistry 22(3): 798-799.
- McLain, D.K. 1983. Ants, extrafloral nectaries and herbivory on the passion vine, *Passiflora incarnata*. Am. Midl. Nat. 110: 433-439.
- Miller, J.S.; Otero, L.D. 1994. Immature stages of Venezuelan Dioptinae (Notodontidae) in Josia and Thirmida. Journal of the Lepidopterists' Society 48(4): 338-372.
- Ministerio de Agricultura y Ganadería (MAG). 1992. Uso de la tierra en Costa Rica en 1992. Proyección Lambert CR-N. San José, MAG.



MUSEO NACIONAL DE COSTA RICA

Departamento de Historia Natural

Missouri Botanical Garden. Photo Essays: Passifloraceae. St. Louis, Missouri: 1995-2003a.
Consultado 9 de junio 2003. Disponible en Internet: <http://mobot.mobot.org/W3T/Search/vast.html>

Missouri Botanical Garden. Base de datos TROPICOS: Passifloraceae. St. Louis, Missouri: 1995-2003b. Consultado 17 de julio 2003. Disponible en Internet:
<http://mobot.mobot.org/W3T/Search/vast.html>

Montero, J. 2007. Manual para el manejo de mariposarios. Santo Domingo de Heredia, Editorial INBio. 204 p.

Moreno, N.P. 1984. Glosario botánico ilustrado. Veracruz, México, Compañía Editorial Continental, S. A. de C. V., 300 p.

Morton, J. 1987. Passionfruit. Pp. 320-328. In: C.F. Dowling (ed.). Fruits of warm climates. Miami, US.

Norrbom, A.L.; McAlpine, J.F. 1996. A revision of the Neotropical species of *Dasiops rondan* (Diptera: Lonchaeidae) attacking *Passiflora* (Passifloraceae). Memoir Entomol. Soc. Wash. 18: 189-211.

Núñez, M.E. 1982. Plantas medicinales de Puerto Rico. Editorial de la Universidad de Puerto Rico, 498 p.

Oga, S.; Freitas, P.C.D. de; Gomes da Silva, A.C.; Hanada, S. 1984. Pharmacological trials of crude extract of *Passiflora alata*. Pl. Med. 51: 303-306.

Poethke, W.; Schwarz, C.; Gerlach, H. 1970a. Über die Inhaltsstoffe von *Passiflora bryonioides*. I. Alkaloide. Pl. Med. 18: 303-314.

Poethke, W.; Schwarz, C.; Gerlach, H. 1970b. Über die Inhaltsstoffe von *Passiflora bryonioides*. II. Flavonderivate. Pl. Med. 19: 177-188.

Porter-U., K. 2003. Revision of *Passiflora* subgenus *Decaloba* supersection *Cieca* (Passifloraceae). A dissertation presented to the graduate school of the University of Florida in partial fulfillment of the requirements for the degree of Doctor of Philosophy. University of Florida. 444 p.

Rich, S.J.; Carroll, C.R. 1982 Effect of a keystone predaceous ant, *Solenopsis geminata*, on arthropods in a tropical agroecosystem. Ecology 63:1979-1983.

Rodríguez, A.; Estrada, A. Passifloraceae. Pp. 862-891. In: Hammel, B.E.; Grayum, M.H.; Herrera, C.; Zamora, N. (eds.). Manual de Plantas de Costa Rica. Vol. VI. Haloragaceae-Phytolaccaceae). Monogr. Syst. Bot. Missouri Bot. Gard.



MUSEO NACIONAL DE COSTA RICA

Departamento de Historia Natural

Roemer, M.J. 1846. Familiarum naturalium regnivegetabilis synopses monographicae. Passifloraceae 2: 125-207.

Sáenz, J.A.; Nassar, M. 1972. Toxic effect of the fruit of *Passiflora adenopoda* DC. on humans: phytochemical determination. Revista Biol. Trop. 20(1): 137-140.

Sazima, M.; Sazima, I. 1978. Bat pollination of the passion flower, *Passiflora mucronata*, in southeastern Brazil. Biotropica 10(2): 100-109.

Schemske, D.W. 1980. The evolutionary significance of extrafloral nectar production by *Costus woodsonii* (Zingiberaceae): an experimental analysis of ant protection. J. Ecol. 68: 959-967.

Seigler, D.S. 1981. Pp. 113. In: Vennesland, B.; Conn, E.E.; Knowless, C.J.; Westley, J.; Wissing, F. (eds.). Cyanide in Biology. New York, Academic Press.

Smiley, J.T. 1978. Plant chemistry and the evolution of host specificity: new evidence from *Heliconius* and *Passiflora*. Science 201: 745-747.

Smiley, J.T. 1985. *Heliconius* caterpillar mortality during establishment on plants with and without attending ants. Ecology 66(3): 845-849.

Smiley, J.T. 1986. Ant constancy at *Passiflora* extrafloral nectaries: effects on caterpillar survival. Ecology 67: 516-521.

Smiley J.T. 1991. *Passiflora foetida*, *Passiflora vitifolia*. Pp. 301-304. In: Janzen, D.H. (ed.). Historia Natural de Costa Rica. San José, Editorial Universidad de Costa Rica.

Snow, A. 1982. Pollination intensity and potential seed set in *Passiflora vitifolia*. Oecologia 55: 231-237.

Spencer, K.C. 1984. Cyclopentenoid cyanogens : their chemistry, importance in plant systematics and their role in the coevolution of plants and insects. Ph.D. dissertation. Urbana, Illinois, University of Illinois at Urbana-Champaign.

Spencer, K.C. 1988. Chemical mediation of coevolution in the *Passiflora-Heliconius* interaction. In: Spencer, K.C. (ed.). Chemical Mediation of Coevolution. New York, Academic Press, p. 167-239.

Spencer, K.C.; Seigler, D.S. 1985a. Passiflorin, Epipassibiflorin and Passitrifasciatin: Cyclopentenoid Cyanogenic Glycosides from *Passiflora*. Phytochemistry 24 (55): 981-986.



MUSEO NACIONAL DE COSTA RICA

Departamento de Historia Natural

Spencer, K.C.; Seigler, D.S. 1985b. Co-occurrence of valine/isoleucine-derived and cyclopentenoid cyanogens in a *Passiflora* species. *Biochem. Syst. Ecol.* 13: 303-304.

Spencer, K.C.; Seigler, D.S.; Nahrstedt, A. 1986. Linamarin, lotaustralin, linustatin and neolinustatin from *Passiflora* species. *Phytochemistry* 25: 645-647.

Standley, P.C.; Williams, L.O. 1961. Passifloraceae. Pp. 115-146. *In*: Standley, P.C.; Williams, L.O. (eds.). *Flora of Guatemala*. Fieldiana Bot. 24(7).

Stegmaier, C. E., Jr. 1973. *Dasiops passifloris* (Diptera: Lonchaeidae), a Pest of Wild Passion Fruit in South Florida. *The Florida Entomologist* 56: 8-10.

Stevens, P. F. (2001 onwards). Angiosperm Phylogeny Website. Version 14, July 2017 [and more or less continuously updated since]. "will do. <http://www.mobot.org/MOBOT/research/APweb/>.

Stiles, F.G.; Skutch, A.F. 2007 *Guía de aves de Costa Rica*. 4 ed. Santo Domingo de Heredia, C.R., Editorial INBio, 580 p.

Thomas, C.D. 1990. Herbivore diets, Herbivore colonization, and the escape hypothesis. *Ecology* 71(2): 610-615.

Tillett, S.S. 1988. *Passifloris* II. Terminologia. *Ernstia* 48: 1-40.

Triana, M.; Planchon, J.E. 1873. Passifloraceae. *Ann. Sci. Nat. Bot. Sér.* 5(17): 121-186.

UICN. 2001. *Categorías y Criterios de la Lista Roja de la UICN: Versión 3.1*. Gland, Suiza, Comisión de supervivencia de especies de la UICN, ii + 33 p.

Ulmer, T.; MacDougal, J.M. 2004. *Passiflora: Passionflowers of the world*. Portland, Timber Press, 430 p.

Ulubelen, A.; Mabry, T.J. 1980. C-Glycosylflavonoids of *Passiflora serratifolia*. *J. Nat. Prod.* 43(1): 162.

Ulubelen, A.; Mabry, T.J.; Dellaminica, G.; Chopin, J. 1982. C-Glycosylflavonoids from *Passiflora foetida* var. *hispida* and *P. foetida* var. *hibiscifolia*. *J. Nat. Prod.* 45(1).

Universidad de Alberta, Centro Científico Tropical (CCT) & Fondo Nacional de Financiamiento Forestal (FONAFIFO). 2002. *Mapa de Cambio de Cobertura 1997-2000*. Proyección Lambert CR-N.

Vanderplank, J. 1996. *Passion flowers*. London, Cassel, 219 p.



MUSEO NACIONAL DE COSTA RICA

Departamento de Historia Natural

Varassin, I.G.; Trigo, J.R.; Sazima, M. 2001. The role of nectar production, flower pigments and odour in the pollination of four species of *Passiflora* (Passifloraceae) in south-eastern Brazil. Botanical Journal of the Linnean Society 136: 139-152.

Wilde, W.J.J.O. de. 1972. The indigenous Old World Passifloras. Blumea 20(1): 227-250.

Woodson, Jr., R.E.; Schery, R.W. 1958. Passifloraceae. Pp. 1-22. In: Woodson, R.E., Jr.; Schery, R.W. (eds.). Flora of Panamá. Ann. Missouri Bot. Gard. 45.

Yoshikawa, K.; Katsuta, S.; Mizumori, J.; Arihara, S. 2000. Four cycloartane triterpenoids and six related saponins from *Passiflora edulis*. J. Nat. Prod. 63(9): 1229-34.